

ECU Department of Surgery
Published Research Inventory
2017-2018 Publications

Division: Pediatric Surgery

Longshore, Shannon, MD

1. Cubas RF, Longshore S, Rodriguez S, Tagge E, Baerg J, Moores D. Atropine: A cure for persistent post laparoscopic pyloromyotomy emesis? *J Neonatal Surg.* 2017;6(1):2.
2. Bayouth L, Ashley S, Brady J, et al. An in-situ simulation-based educational outreach project for pediatric trauma care in a rural trauma system. *J Pediatr Surg.* 2018;53(2):367-371.

Rodeberg, David, MD

1. Bradley JA, Kayton ML, Chi Y, et al. Treatment approach and outcomes in infants with localized rhabdomyosarcoma: A report from the soft tissue sarcoma committee of the children's oncology group. *Int J Radiat Oncol Biol Phys.* 2018.
2. Malempati S, Weigel BJ, Chi Y, et al. The addition of cixutumumab or temozolomide to intensive multiagent chemotherapy is feasible but does not improve outcome for patients with metastatic rhabdomyosarcoma: A report from the children's oncology group. *Cancer.* 2018.
3. Walterhouse DO, Barkauskas DA, Hall D, et al. Demographic and treatment variables influencing outcome for localized paratesticular rhabdomyosarcoma: Results from a pooled analysis of north american and european cooperative groups. *J Clin Oncol.* 2018;JCO2018789388.
4. Esce A, Rodeberg DA, Rothstein DH, Browne M, Wakeman D. Prevalence and perceptions of team training programs for pediatric surgeons and anesthesiologists. *J Surg Res.* 2018;232:559-563.

Walsh, Danielle, MD

1. Hope WW, Fanelli R, Walsh DS, et al. SAGES clinical spotlight review: Intraoperative cholangiography. *Surg Endosc.* 2017;31(5):2007-2016.
2. Walsh DS, Lazorick S, Lawson L, et al. The teachers of quality academy: Evaluation of the effectiveness and impact of a health systems science training program. *Am J Med Qual.* 2018

Division: Plastics

Guo, Yifan, MD

1. Guo Y, Lopez J, Yang R, Macmillan A, Dorafshar AH. The use of virtual surgical planning in total facial skeletal reconstruction of treacher collins syndrome: A case report. *Craniomaxillofac Trauma Reconstr.* 2018;11(3):230-237.
2. Norbury JW, Guo Y, Boyer PJ, Zeri RS. The power of doppler in the popliteal fossa: Sonographic diagnosis of a fibular nerve neurofibroma in a patient with posterior knee swelling. *Am J Phys Med Rehabil.* 2018;97(10):e101.

Reisler, Tom, MBChBD

1. Johnson HM, Reisler T. Pseudoangiomatous stromal hyperplasia presenting as accessory axillary breast tissue. *Eplasty.* 2017;17:ic19.
2. Buziashvili D, Zeri RS, Reisler T. Avascular necrosis of the capitate. *Eplasty.* 2017;17:ic13.
3. Buziashvili D, Zeri RS, Reisler T. Optimizing outcomes in pedicle and free flap reconstruction in patients with sickle cell trait. *Eplasty.* 2018;18:ic2.

Zeri, Richard, MD

1. Buziashvili D, Zeri RS, Reisler T. Avascular necrosis of the capitate. *Eplasty.* 2017;17:ic13.
2. Buziashvili D, Zeri RS, Reisler T. Optimizing outcomes in pedicle and free flap reconstruction in patients with sickle cell trait. *Eplasty.* 2018;18:ic2.
3. Norbury JW, Guo Y, Boyer PJ, Zeri RS. The power of doppler in the popliteal fossa: Sonographic diagnosis of a fibular nerve neurofibroma in a patient with posterior knee swelling. *Am J Phys Med Rehabil.* 2018;97(10):e101.

Division: Oncology

Laks, Shachar, MD

1. Macherla S, Laks S, Naqash AR, Bulumulle A, Zervos E, Muzaffar M. Emerging role of immune checkpoint blockade in pancreatic cancer. *Int J Mol Sci.* 2018;19(11).

Verbanac, Kathryn, PhD

1. Vohra NA, Kachare SD, Vos P, et al. The short-term effect of weight loss surgery on volumetric breast density and fibroglandular volume. *Obes Surg.* 2017;27(4):1013-1023.

2. Torres E, Richman AR, Schreier AM, Vohra N, Verbanac K. An evaluation of a rural community-based breast education and navigation program: Highlights and lessons learned. *J Cancer Educ*. 2017.

Vohra, Nasreen, MD

1. Mosquera C, Vora HS, Vohra N, Fitzgerald TL. Population-based analysis of completion lymphadenectomy in intermediate-thickness melanoma. *Ann Surg Oncol*. 2017;24(1):127-134.
2. Vohra NA, Kachare SD, Vos P, et al. The short-term effect of weight loss surgery on volumetric breast density and fibroglandular volume. *Obes Surg*. 2017;27(4):1013-1023.
3. Torres E, Richman AR, Schreier AM, Vohra N, Verbanac K. An evaluation of a rural community-based breast education and navigation program: Highlights and lessons learned. *J Cancer Educ*. 2017.
4. Vohra NA, Brinkley J, Kachare S, Muzaffar M. Primary tumor resection in metastatic breast cancer: A propensity-matched analysis, 1988-2011 SEER data base. *Breast J*. 2018;24(4):549-554.
5. Muzaffar M, Kachare S, Vohra N. Impact of primary tumor surgery in stage IV male breast cancer. *Clin Breast Cancer*. 2017;17(3):e149.
6. Muzaffar M, Johnson HM, Vohra NA, Liles D, Wong JH. The impact of locoregional therapy in nonmetastatic inflammatory breast cancer: A population-based study. *Int J Breast Cancer*. 2018;2018:6438635.

Wong, Jan, MD

1. Vohra NA, Kachare SD, Vos P, et al. The short-term effect of weight loss surgery on volumetric breast density and fibroglandular volume. *Obes Surg*. 2017;27(4):1013-1023.
2. Weber JJ, Wong JH. Periareolar or peritumoral injection of isosulfan blue and the effect on the number of sentinel lymph nodes examined. *Am Surg*. 2017;83(1):98-102.
3. Johnson HM, Wong JH. When is a little breast tissue too much?: Nipple-sparing risk-reducing mastectomy in BRCA carriers. *JAMA Surg*. 2018;153(2):129.
4. Muzaffar M, Johnson HM, Vohra NA, Liles D, Wong JH. The impact of locoregional therapy in nonmetastatic inflammatory breast cancer: A population-based study. *Int J Breast Cancer*. 2018;2018:6438635.

Zervos, Emmanuel, MD

1. White M, Freistaedter A, Jones GJB, Zervos E, Roper RL. Development of improved therapeutic mesothelin-based vaccines for pancreatic cancer. *PLoS ONE*. 2018;13(2):e0193131.

2. Fitzgerald T, Hunter L, Mosquera C, et al. A simple matrix to predict treatment success and long-term survival among patients undergoing pancreatectomy. *HPB (Oxford)*. 2018.

3. Macherla S, Laks S, Naqash AR, Bulumulle A, Zervos E, Muzaffar M. Emerging role of immune checkpoint blockade in pancreatic cancer. *Int J Mol Sci*. 2018;19(11).

Division: Transplant

Hiasch, Carl, MD

1. Everly MJ, Briley KP, Haisch CE, et al. Racial differences in incident de novo donor-specific anti-HLA antibody among primary renal allograft recipients: Results from a single center cohort study. *Transpl Int*. 2017;30(6):566-578.

2. Shah D, Haisch CE, Noland SL. Case reporting, competence, and confidence: A discrepancy in the numbers. *J Surg Educ*. 2018;75(2):304-312.

Leeser, David, MD

1. LaMattina JC, Powell JM, Costa NA, et al. Surgical complications of laparoendoscopic single-site donor nephrectomy: A retrospective study. *Transpl Int*. 2017;30(11):1132-1139.

2. Treat E, Chow EKH, Peipert JD, et al. Shipping living donor kidneys and transplant recipient outcomes. *Am J Transplant*. 2018;18(3):632-641.

3. Rosenberry PM, Niederhaus SV, Schweitzer EJ, Leeser DB. Decreasing dialysis catheter rates by creating a multidisciplinary dialysis access program. *J Vasc Access*. 2018;19(6):569-572.

4. Flechner SM, Thomas AG, Ronin M, et al. The first 9 years of kidney paired donation through the national kidney registry: Characteristics of donors and recipients compared with national live donor transplant registries. *Am J Transplant*. 2018;18(11):2730-2738.

5. Habibollahi P, Mantell MP, Rosenberry T, Leeser DB, Clark TWI. Outcomes of a polytetrafluoroethylene hybrid vascular graft with preloaded nitinol stent at the venous outflow for dialysis vascular access. *Ann Vasc Surg*. 2018.

Division: Trauma

Bard, Michael, MD

1. Reynolds CL, Celio AC, Bridges LC, et al. REBOA for the IVC? resuscitative balloon occlusion of the inferior vena cava (REBOVC) to abate massive hemorrhage in retrohepatic vena cava injuries. *J Trauma Acute Care Surg*. 2017;83(6):1041-1046

2. Bridges LC, Torrent DJ, Mosquera C, Bard MR. Chest tube removal in simple pneumothorax: Does water-seal duration matter? *Am Surg*. 2017;83(8):901-905.

Drake, Mack, DO

1. Maxwell D, Rhee P, Drake M, Hodge J, Ingram W, Williams R. Development of the burn frailty index: A prognostication index for elderly patients sustaining burn injuries. *Am J Surg.* 2018.

Goettler, Claudia, MD

1. Williford ML, Scarlet S, Meyers MO, et al. Multiple-institution comparison of resident and faculty perceptions of burnout and depression during surgical training. *JAMA Surg.* 2018;153(8):705-711.
2. Castillo JC, DeLa'O CM, Goettler CE. Traumatic bilateral anterior cerebral artery entrapment with subsequent cerebral infarction. *Am Surg.* 2018;84(5):e167.

Poulin, Nathaniel, MD

1. Loja MN, Galante JM, Humphries M, et al. Systemic anticoagulation in the setting of vascular extremity trauma. *Injury.* 2017;48(9):1911-1916.
2. Faulconer ER, Branco BC, Loja MN, et al. Use of open and endovascular surgical techniques to manage vascular injuries in the trauma setting: A review of the american association for the surgery of trauma PROspective observational vascular injury trial registry. *J Trauma Acute Care Surg.* 2018;84(3):411-417.

Toschlog, Eric, MD

1. Zielinski MD, Haddad NN, Cullinane DC, et al. Multi-institutional, prospective, observational study comparing the gastrografin challenge versus standard treatment in adhesive small bowel obstruction. *J Trauma Acute Care Surg.* 2017;83(1):47-54.
2. Gerardo CJ, Quackenbush E, Lewis B, et al. The efficacy of crotalidae polyvalent immune fab (ovine) antivenom versus placebo plus optional Rescue Therapy on recovery from copperhead snake envenomation: A randomized, double-blind, placebo-controlled, clinical trial. *Ann Emerg Med.* 2017;70(2):244.e3.
3. Reynolds CL, Celio AC, Bridges LC, et al. REBOA for the IVC? resuscitative balloon occlusion of the inferior vena cava (REBOVC) to abate massive hemorrhage in retrohepatic vena cava injuries. *J Trauma Acute Care Surg.* 2017;83(6):1041-1046.
4. Bayouth L, Ashley S, Brady J, et al. An in-situ simulation-based educational outreach project for pediatric trauma care in a rural trauma system. *J Pediatr Surg.* 2018;53(2):367-371.
5. Hernandez MC, Haddad NN, Cullinane DC, et al. The american association for the surgery of trauma severity grade is valid and generalizable in adhesive small bowel obstruction. *J Trauma Acute Care Surg.* 2018;84(2):372-378.

6. Burlew CC, Sumislawski JJ, Behnfield CD, et al. Time to stroke: A western trauma association multicenter study of blunt cerebrovascular injuries. *J Trauma Acute Care Surg*. 2018;85(5):858-866.
7. Anderson VE, Gerardo CJ, Rapp-Olsson M, et al. Early administration of fab antivenom resulted in faster limb recovery in copperhead snake envenomation patients. *Clin Toxicol (Phila)*. 2018;1-6.
8. Mullins ME, Gerardo CJ, Bush SP, et al. Adverse events in the efficacy of crotalidae polyvalent immune fab antivenom vs placebo in recovery from copperhead snakebite trial. *South Med J*. 2018;111(12):716-720.

Division: Research

Pories, Walter, MD

1. Celio AC, Wu Q, Kasten KR, Manwaring ML, Pories WJ, Spaniolas K. Comparative effectiveness of roux-en-Y gastric bypass and sleeve gastrectomy in super obese patients. *Surg Endosc*. 2017;31(1):317-323.
2. Celio AC, Kasten KR, Burruss MB, Pories WJ, Spaniolas K. Surgeon case volume and readmissions after laparoscopic roux-en-Y gastric bypass: More is less. *Surg Endosc*. 2017;31(3):1402-1406.
3. Hubal MJ, Nadler EP, Ferrante SC, et al. Circulating adipocyte-derived exosomal MicroRNAs associated with decreased insulin resistance after gastric bypass. *Obesity (Silver Spring)*. 2017;25(1):102-110.
4. Steffen KJ, King WC, White GE, et al. Sexual functioning of men and women with severe obesity before bariatric surgery. *Surg Obes Relat Dis*. 2017;13(2):334-343.
5. Schwoerer A, Kasten K, Celio A, Pories W, Spaniolas K. The effect of close postoperative follow-up on co-morbidity improvement after bariatric surgery. *Surg Obes Relat Dis*. 2017;13(8):1347-1352.
6. King WC, Chen J, Courcoulas AP, et al. Alcohol and other substance use after bariatric surgery: Prospective evidence from a U.S. multicenter cohort study. *Surg Obes Relat Dis*. 2017;13(8):1392-1402.
7. King WC, Chen J, Belle SH, et al. Use of prescribed opioids before and after bariatric surgery: Prospective evidence from a U.S. multicenter cohort study. *Surg Obes Relat Dis*. 2017;13(8):1337-1346.
8. Celio AC, Kasten KR, Schwoerer A, Pories WJ, Spaniolas K. Perioperative safety of laparoscopic versus robotic gastric bypass: A propensity matched analysis of early experience. *Surg Obes Relat Dis*. 2017;13(11):1847-1852.

9. Menke MN, King WC, White GE, et al. Contraception and conception after bariatric surgery. *Obstet Gynecol.* 2017;130(5):979-987.
10. Gavin TP, Ernst JM, Kwak H, et al. High incomplete skeletal muscle fatty acid oxidation explains low muscle insulin sensitivity in poorly controlled T2D. *J Clin Endocrinol Metab.* 2018;103(3):882-889.
11. O'Rourke RW, Johnson GS, Purnell JQ, et al. Serum biomarkers of inflammation and adiposity in the LABS cohort: Associations with metabolic disease and surgical outcomes. *Int J Obes (Lond).* 2018.
12. Seridi L, Leo GC, Dohm GL, Pories WJ, Lenhard J. Time course metabolome of roux-en-Y gastric bypass confirms correlation between leptin, body weight and the microbiome. *PLoS ONE.* 2018;13(5):e0198156.
13. Zou K, Hinkley JM, Park S, et al. Altered tricarboxylic acid cycle flux in primary myotubes from severely obese humans. *Int J Obes (Lond).* 2018.
14. Takemoto E, Wolfe BM, Nagel CL, et al. Insurance status differences in weight loss and regain over 5 years following bariatric surgery. *Int J Obes (Lond).* 2018;42(6):1211-1220.
15. Marek RJ, Steffen KJ, Flum DR, et al. Psychosocial functioning and quality of life in patients with loose redundant skin 4 to 5 years after bariatric surgery. *Surg Obes Relat Dis.* 2018.
16. Mishriky BM, Cummings DM, Tanenberg R, Pories WJ. Re-examining insulin compared to non-insulin therapies for type 2 diabetes: When in the disease trajectory is insulin preferable? *Postgrad Med.* 2018;130(8):653-659.
17. Field AE, Inge TH, Belle SH, et al. Association of obesity subtypes in the longitudinal assessment of bariatric surgery study and 3-year postoperative weight change. *Obesity (Silver Spring).* 2018;26(12):1931-1937.
18. Ard JD, Lewis KH, Rothberg A, et al. Effectiveness of total meal replacement program (OPTIFAST program) on weight loss: Results from the OPTIWIN study. *Obesity (Silver Spring).* 2018.
19. Courcoulas AP, King WC, Belle SH, et al. Seven-year weight trajectories and health outcomes in the longitudinal assessment of bariatric surgery (LABS) study. *JAMA Surg.* 2018;153(5):427-434.
20. Friedman AN, Wahed AS, Wang J, et al. Effect of bariatric surgery on CKD risk. *J Am Soc Nephrol.* 2018;29(4):1289-1300.